



# Rittal – The System.

Faster – better – everywhere.



## SZ 2433.010

## Wall mounting bracket

State: 29/10/2026 (Source: [www.rittal.com/uk-en](http://www.rittal.com/uk-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SZ 2433.010 - Wall mounting bracket for AX stainless steel, KX stainless steel

For the attachment of AX and KX stainless steel enclosures.

## Features

|                       |                                                                                                                                                                                                                                                    |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model No.             | SZ 2433.010                                                                                                                                                                                                                                        |
| Product description   | For the attachment of AX and KX stainless steel enclosures.                                                                                                                                                                                        |
| Benefits              | Simply suspend the wall-mounted bracket from a screw in the wall<br>Different mounting positions allow the wall mounting bracket to be tailored to local conditions on site.<br>If necessary, the support may be finished with a stylish cover cap |
| Material              | Stainless steel 1.4301 (AISI 304)                                                                                                                                                                                                                  |
| Supply includes       | Wall mounting bracket<br>Cover cap<br>Assembly parts                                                                                                                                                                                               |
| Wall distance         | 20 mm                                                                                                                                                                                                                                              |
| Note                  | For hygiene reasons, and to retain the protection category, the stainless steel enclosures do not have any drilled holes for wall mounting.                                                                                                        |
| To fit                | Enclosure type: AX stainless steel<br>KX stainless steel                                                                                                                                                                                           |
| Type rating to UL 50E | Type 1<br>Type 3R<br>Type 4<br>Type 4X<br>Type 12                                                                                                                                                                                                  |
| Packs of              | 4 pc(s).                                                                                                                                                                                                                                           |
| Net weight            | 0.4 kg                                                                                                                                                                                                                                             |
| Gross weight          | 0.42 kg                                                                                                                                                                                                                                            |
| Customs tariff number | 83025000                                                                                                                                                                                                                                           |

# Features

|                     |                                                                                       |
|---------------------|---------------------------------------------------------------------------------------|
| ETIM 9              | EC002625                                                                              |
| ETIM 8              | EC002625                                                                              |
| ECLASS 8.0          | 27189234                                                                              |
| Product description | SZ Wall mounting bracket, for AX and KX, stainless steel 1.4301, wall distance: 20 mm |

# Approvals

|           |                  |
|-----------|------------------|
| Approvals | UL + C-UL - FTTA |
|-----------|------------------|